

Kendallville. Such rates and charges include user charges, debt service costs, excessive strength surcharges, and other service charges, which rates and charges shall be payable as hereinafter provided and shall be in an amount determinable as follows:

(a) The sewage rates and charges shall be based on the quantity of water used on or in the property or premises subject to such rates and charges, as the same is measured by the water meter therein use, plus a base charge based on the size of the water meter installed, except as herein otherwise provided. For the purpose of billing and collecting the charges for sewage service, the water meters shall be read monthly and the users shall be billed each month (or period equaling a month). The water usage schedule on which the amount of said rates and charges shall be determined shall be as follows:

Phase II. – Effective January 1, 2013

Flow rate per 1,000 gallons \$ 4.59
 Plus: Base Charge

<u>Water Meter Size</u>	<u>Proposed Rates and Charges</u>
5/8"	\$ 6.80
3/4"	9.25
1"	16.10
1 1/4"	25.25
1 1/2"	36.40
2"	62.50
3"	143.00
4"	254.55
6"	570.50
8"	1,016.35

(b) For users of the sewage works that are unmetered water users or accurate meter readings are not available, the monthly charge shall be determined by equivalent single family dwelling units, except as herein provided. Sewage service bills shall be rendered once each month (or period equaling a month). The schedule on which said rates and charges shall be determined is as follows:

Single family dwelling unit \$ 27.40

Section 5. In order that the rates and charges may be justly and equitably adjusted to the service rendered to users, the City shall base its charges not only on the volume, but also on strength and character of the stronger-than-normal domestic sewage and wastes which it is required to treat and dispose of. The City shall require the user to determine the strength and content of all sewage and wastes discharged, either directly or indirectly, into the sanitary sewage system, in such manner and by such method as the City may deem practicable in the light of the conditions and attending circumstances of the case, in order to determine the proper charge. The user shall furnish a central sampling point available to the City at all times.

(a) Normal sewage domestic waste strength should not exceed a biochemical oxygen demand of 200 milligrams per liter of fluid, suspended solids in excess of 240 milligrams per

liter of fluid; phosphorus in excess of 10 milligrams per liter of fluid; and ammonia in excess of 20 milligrams per liter of fluid. Additional charges for treating stronger-than-normal domestic waste shall be made on the following basis:

- (1) Rate Surcharge Based Upon Suspended Solids
There shall be an additional charge of 23¢ per pound of suspended solids for suspended solids received in excess of 240 milligrams per liter of fluid.
- (2) Rate Surcharge Based Upon BOD or COD
 - (a) BOD - There shall be an additional charge of 7¢ per pound of biochemical oxygen demand for BOD received in excess of 200 milligrams per liter of fluid.
 - (b) COD - There shall be an additional charge of 7¢ per pound of chemical oxygen demand for COD received in excess of 600 milligrams per liter of fluid.
- (3) Rate Surcharge Based Upon Phosphorus
There shall be an additional charge of \$4.53 per pound of phosphorus received in excess of 10 milligrams per liter of fluid.
- (4) Rate Surcharge Based Upon Ammonia
There shall be an additional charge of \$1.02 per pound of ammonia received in excess of 20 milligrams per liter of fluid

Section 6. For the use of and the service rendered by the sewage works, rates and charges shall be collected from the owners of each and every lot, parcel of real estate, or building that is connected with the City sanitary system or otherwise discharges sanitary sewage, industrial wastes, water, or other liquids, either directly or indirectly, into the sanitary sewer system of the City of Kendallville. Such rates and charges include user charges, debt service costs, excessive strength surcharges, and other service charges, which rates and charges shall be payable as hereinafter provided and shall be in an amount determinable as follows:

- (a) The sewage rates and charges shall be based on the quantity of water used on or in the property or premises subject to such rates and charges, as the same is measured by the water meter therein use, plus a base charge based on the size of the water meter installed, except as herein otherwise provided. For the purpose of billing and collecting the charges for sewage service, the water meters shall be read monthly and the users shall be billed each month (or period equaling a month). The water usage schedule on which the amount of said rates and charges shall be determined shall be as follows:

Phase III. – Effective January 1, 2014

Flow rate per 1,000 gallons \$ 4.87
Plus: Base Charge

<u>Water Meter Size</u>	<u>Proposed Rates and Charges</u>
5/8"	\$ 7.20
3/4"	9.85
1"	17.10
1 1/4"	26.85
1 1/2"	38.65
2"	66.40
3"	151.90
4"	270.30
6"	605.90
8"	1,079.35

(b) For users of the sewage works that are unmetered water users or accurate meter readings are not available, the monthly charge shall be determined by equivalent single family dwelling units, except as herein provided. Sewage service bills shall be rendered once each month (or period equaling a month). The schedule on which said rates and charges shall be determined is as follows:

Single family dwelling unit \$ 29.10

Section 7. In order that the rates and charges may be justly and equitably adjusted to the service rendered to users, the City shall base its charges not only on the volume, but also on strength and character of the stronger-than-normal domestic sewage and wastes which it is required to treat and dispose of. The City shall require the user to determine the strength and content of all sewage and wastes discharged, either directly or indirectly, into the sanitary sewage system, in such manner and by such method as the City may deem practicable in the light of the conditions and attending circumstances of the case, in order to determine the proper charge. The user shall furnish a central sampling point available to the City at all times.

(a) Normal sewage domestic waste strength should not exceed a biochemical oxygen demand of 200 milligrams per liter of fluid, suspended solids in excess of 240 milligrams per liter of fluid; phosphorus in excess of 10 milligrams per liter of fluid; and ammonia in excess of 20 milligrams per liter of fluid. Additional charges for treating stronger-than-normal domestic waste shall be made on the following basis:

(1) Rate Surcharge Based Upon Suspended Solids

There shall be an additional charge of 25¢ per pound of suspended solids for suspended solids received in excess of 240 milligrams per liter of fluid.

- (2) Rate Surcharge Based Upon BOD or COD
(a) BOD - There shall be an additional charge of 8¢ per pound of biochemical oxygen demand for BOD received in excess of 200 milligrams per liter of fluid.
(b) COD - There shall be an additional charge of 8¢ per pound of chemical oxygen demand for COD received in excess of 600 milligrams per liter of fluid.
- (3) Rate Surcharge Based Upon Phosphorus
There shall be an additional charge of \$4.81 per pound of phosphorus received in excess of 10 milligrams per liter of fluid.
- (4) Rate Surcharge Based Upon Ammonia
There shall be an additional charge of \$1.08 per pound of ammonia received in excess of 20 milligrams per liter of fluid

PASSED AND ADOPTED by the Common Council of the City of Kendallville on the ____ day of _____, 2012.

COMMON COUNCIL

Presiding Officer

ATTEST:

Sheryl Hanes, Clerk-Treasurer

Vote of the Kendallville Common Council on the ____ day of _____, 2012, at the hour of _____ o'clock ____ .M.

<u>Name</u>	<u>Yea</u>	<u>Nay</u>	<u>Absent</u>
James Dazey	_____	_____	_____
Regan Ford	_____	_____	_____
Max Franklin	_____	_____	_____
Larry Davis	_____	_____	_____
April Waters	_____	_____	_____

Presented by me to the Mayor of the City of Kendallville on the ____ day of _____, 2012, at the hour of _____ o'clock ____ .M.

Sheryl Hanes, Clerk-Treasurer

This Ordinance approved and signed by me on this ____ day of _____, 2012, at the hour of _____ o'clock ____ .M.

Suzanne Handshoe, Mayor